



**Haliburton, Kawartha, Pine Ridge District Health Unit
RRFSS (2007) Chronic Disease**

Proportion of adults (18+) who report currently having asthma, RRFSS January - April 2007

Table 1: Chronic Disease (self-reported asthma prevalence)


Self-reported asthma prevalence	Proportion	95% upper confidence limit	95% lower confidence limit
Yes	10.1%	13.1%	7.1%
No	89.9%	92.9%	86.9%

* Interpret with caution, high variability

** Data not released

sample size 398

Figure 1: Chronic Disease (self-reported asthma prevalence)



Interpretation:

10.1% (+/-3%) of adults (18+) reported having asthma diagnosed by a doctor or other health professional.

89.9% (+/-3%) of adults (18+) reported having asthma diagnosed by a doctor or other health professional.

Proportion of adults (18+) who report having diabetes RRFSS January - April 2007

Table 2: Chronic Disease (self-reported diabetes prevalence)


Self-reported diabetes prevalence	Proportion	95% upper confidence limit	95% lower confidence limit
Yes	9.0%	11.8%	6.1%
No	91.0%	93.9%	88.2%

* Interpret with caution, high variability

** Data not released

sample size 397

Figure 2: Chronic Disease (self-reported diabetes prevalence)



Interpretation:

9.0% (+/-3%) of adults (18+) reported having diabetes diagnosed by a doctor or other health professional.

91.0% (+/-3%) of adults (18+) reported having diabetes diagnosed by a doctor or other health professional.

Proportion of adults (18+) who report having high blood pressure, RRFSS January - April 2007

Table 3: Chronic Disease (self-reported high blood pressure)


Self-reported high blood pressure prevalence	Proportion	95% upper confidence limit	95% lower confidence limit
Yes	29.6%	34.1%	25.1%
No	70.4%	74.9%	65.9%

* Interpret with caution, high variability

** Data not released

sample size 397

Figure 3: Chronic Disease (self-reported high blood pressure)



Interpretation:

29.6% (+/-4%) of adults (18+) reported having high blood pressure diagnosed by a doctor or other health professional.

70.4% (+/-4%) of adults (18+) reported having high blood pressure diagnosed by a doctor or other health professional.

Proportion of adults (18+) who report having high blood pressure, by age, RRFSS January - April 2007

Table 4: Chronic Disease (self-reported high blood pressure by age)


Self-reported high blood pressure prevalence	Proportion	95% upper confidence limit	95% lower confidence limit
18-24**	**	**	**
25-44*	9.6%	15.1%	4.0%
45-64	32.9%	40.0%	25.9%
65+	51.9%	61.9%	41.9%

* Interpret with caution, high variability

** Data not released

sample size 397

Figure 4: Chronic Disease (self-reported high blood pressure by age)



Interpretation:

9.6%* (+/-6%) of adults (age 25-44) reported having high blood pressure diagnosed by a doctor or other health professional.

32.9% (+/-7%) of adults (age 45-64) reported having high blood pressure diagnosed by a doctor or other health professional.

51.9% (+/-10%) of adults (age 65+) reported having high blood pressure diagnosed by a doctor or other health professional.

Limitations:

1. Questions only asked of adult residents aged 18+.
2. Telephone survey only conducted in English.
3. Results are based on self-reported behaviours.
4. (*) indicates that results are based on small sample size, thus estimates have high variability.

Notes:

- 1) The numbers in the tables and graphs are weighted.
 - 2) Missing responses are not included in the analysis.
 - 3) Don't know and refused responses are analyzed according to RRFSS analysis guideline.
 - 4) Release criteria of the data are according to RRFSS analysis guideline.
- * Interpret with caution, high variability.
** Data not released.