



Haliburton, Kawartha, Pine Ridge District Health Unit RRFSS (2007) Flu Immunization III

Proportion of adults (18+) who report getting a flu shot and have a chronic disease,
RRFSS January - April 2007

Table 1: Flu Immunization For Individuals With A Chronic Disease (overall)


Flu shot	Proportion	95% upper confidence limit	95% lower confidence limit
Yes	61.6%	70.1%	53.2%
No	38.4%	46.8%	29.9%

* Interpret with caution, high variability

** Data not released

sample size 128

Figure 1: Flu Immunization For Individuals With A Chronic Disease (overall)



Interpretation:

61.6% (+/-8%) of adults (18+) who have a chronic disease reported getting a flu shot since September 2006 (for the 2006-2007 flu season).

38.4% (+/-8%) of adults (18+) who have a chronic disease reported that they did not get a flu shot since September 2006 (for the 2006-2007 flu season).

Proportion of adults (18+) who report getting a flu shot and have a chronic disease, by sex, RRFSS January - April 2007

Table 2: Flu Immunization For Individuals With A Chronic Disease (by sex)


Received a flu shot	Proportion	95% upper confidence limit	95% lower confidence limit
Males	51.5%	65.3%	37.8%
Females	68.5%	79.0%	58.0%

* Interpret with caution, high variability

** Data not released

sample size 128

Figure 2: Flu Immunization For Individuals With A Chronic Disease (by sex)



Interpretation:

51.1% (+/-14%) of adult males (18+) who have a chronic disease reported getting a flu shot since September 2006 (for the 2006-2007 flu season).

68.5% (+/-10%) of adult females (18+) who have a chronic disease reported getting a flu shot since September 2006 (for the 2006-2007 flu season).

Proportion of adults (18+) who report getting a flu shot and have a chronic disease, by age group, RRFSS January - April 2007

Table 3: Flu Immunization For Individuals With A Chronic Disease (by age group)


Received a flu shot	Proportion	95% upper confidence limit	95% lower confidence limit
18-64	53.0%	63.6%	42.4%
65+	79.5%	92.0%	66.9%

* Interpret with caution, high variability

** Data not released

sample size 128

Figure 3: Flu Immunization For Individuals With A Chronic Disease (by age group)



Interpretation:

53.0% (+/-11%) of adults (age 18-64) who have a chronic disease reported getting a flu shot since September 2006 (for the 2006-2007 flu season).

79.5% (+/-13%) of adults (age 65+) who have a chronic disease reported getting a flu shot since September 2006 (for the 2006-2007 flu season).

Limitations:

1. Questions only asked of adult residents aged 18+.
2. Telephone survey only conducted in English.
3. Results are based on self-reported behaviours.
4. (*) indicates that results are based on small sample size, thus estimates have high variability.

Notes:

- 1) The analysis includes adults (18+) who have been told by a doctor or other health care professional that they have one of the following chronic illness conditions: asthma, diabetes, cancer, liver disease/problem, kidney disease/problem, heart disease/problem, lung disease/problem, spleen problem, thyroid problem, blood disorder, immune disorder.
 - 2) The numbers in the tables and graphs are weighted.
 - 3) Missing responses are not included in the analysis.
 - 4) Don't know and refused responses are analyzed according to RRFSS analysis guideline.
 - 5) Release criteria of the data are according to RRFSS analysis guideline.
- * Interpret with caution, high variability.
** Data not released.